

**COOLING SYSTEM/STARTING**

POS.	CODE	DESCRIPTION	Qty
1	2920.104	denoised hood	1
6	«-----»	switch cover	0
7	7195.112	starting button	1
8	2900.110	dashboard 2 lights	1
9	«-----»	lampe-socket - no longer avail.	0
10	8506.043	angle bracket	1
11	«-----»	lampe-socket	0
12	9195.104	head temperatur thermostat	1
13	1780.003	bolt M 10 X 1,5 X 18	1
14	7565.011	washer diam.10	1
15	7245.417	dashboard 3 warning lights	1
15a	7245.419	dashboard 6 warning lights (24V)	1
15b	7245.420	dashboard 6 warning lights (engine with glow plug)	1
16	4062.233	fuse 50 A	1
16	4062.238	fuse 100 A (for two preheating glow plugs)	1
17	3300.227	elongated nut	1
18	3527.018	spacer	1
19	8506.118	dashb.supp.	1
20	8506.119	dashb.supp.	1
21	5040.098	pressure switch (M 14)	1
22	4670.061	copper gasket diam.14	1
22a	4670.058	copper gasket diam. 8,2X12X1,5	1
23	7330.083	union	1
24	4776.090	gasket	1
25	5450.009	oil manometer	1
26	5175.162	lamp 12V	2
27	7625.070	washer diam. 6	2
28	1760.003	bolt M 6 X 1 X 12	2
29	5041.020	key switch	1
30	6491.005	pipe elbow	1
31	5840.223	starting motor 12 V 1,8 KW	1
32	9730.045	screw M 10 X 30	2
33	1770.002	bolt M 8 X 1,25 X 16	1
34	7565.007	washer diam. 8	1
35	3617.045	clamp	2
36	2569.194	shroud without denoised panel fitting	1
36	2569.203	shroud	1
37	6927.056	guard	1
38	1901.048	union bolt M 8	1
39	7565.011	washer diam.10	2
40	6491.013	pipe elbow	1
41	6745.050	oil switch 0,3 bar (M 12)	1
43	4776.089	gasket	1
44	4670.014	copper gasket diam.12	1
45	9790.039	screw M 6 X 12	7
47	5066.074	denoised airtight	1
48	3350.094	deflector	1
49	5066.070	denoised airtight	1
50	3617.021	clamp	1
51	9731.092	screw M 8 X 14	1
52	1760.003	bolt M 6 X 1 X 12	1
56	1157.154	volt.alternator 12V 14A - 3 wires	1
56	1157.167	volt.alternator 12V 16A - 2 wires	1

Group: 12LD
Engine: 12LD 435-2 Drawing: F

COOLING SYSTEM/STARTING

POS.	CODE	DESCRIPTION	Qty
58	3203.050	selflocking nut M 6	1
59	2670.049	pulley cover	1
60	1760.094	bolt M 6 X 1 X 100	1
61	6927.242	flywheel guard	1
63	5096.038	flywheel guard	1
64	9865.122	screw M 6 X 12	4
69	9731.022	screw M 5 X 20	4
70	«-----»	washer	0
71	1760.003	bolt M 6 X 1 X 12	1
72	3617.152	clamp	1
73	8300.052	voltage regulator support	1
78	7051.060	pulley 1 groove	1
79	6961.048	start pulley	1
80	1770.009	bolt M 8 X 1,25 X 35	4
81	7565.007	washer diam. 8	4
82	6961.061	start pulley	1
83	8300.049	voltage regulator support	1
84	8300.048	bracket	1
85	9732.078	screw M 6 X 25	5
86	2145.014	regulator cap	1
87	6740.153	inlet regul.Saprisa	1
87	6740.154	inlet regul.Ducati	1
88	7362.228	voltage regulator. 12V 14/26A-6 contacts for alternator 3 wires	1
88	7362.298	voltage regul.12 V maX 30 A - 5 contacts for alt.2 wires	1
88	7362.314	volt.regulator 12V 30A fitted for electronic tachometer - 5+W c	1
89	9732.092	screw M 8 X 18	2
90	«-----»	see Pos. B 64	0
92	1213.173	seal ring 20X35X7	1
93	8903.102	ANGLE GEAR SUPPORT	1
94	7475.018	angle gear	1
95	9282.003	transmission mm 1500	1
96	2529.007	speed-hours indicator	1
97	2185.882	eXtension wire	1
97	2185.893	eXtension wire	1
98	2185.873	wiring harness for dashboard 6 warning lights	1
98	2185.891	wiring harness for dashboard 3 warning lights	1
99	6275.102	spring plate	1
100	4775.525	auXiliary hous.gasket	1
109	9730.325	screw M 5 X 10	4
110	9730.024	screw M 8 X 16	2
111	9732.074	screw M 8 X 20	2

