

**COOLING SYSTEM/STARTING**

POS.	CODE	DESCRIPTION	Qty
1	5066.315	rear panel	1
2	9730.338	screw M 6 X 8	3
3	5066.310	side panel	1
4	9865.122	screw M 6 X 12	1
5	9732.084	screw M 6 X 12	5
5a	9731.030	screw M 8 X 12	2
6	2569.654	shroud (grey)	1
6	2569.655	shroud (red)	1
7	2501.208	hollowstud	4
8	7986.039	denoised guard	1
9	7625.007	washer diam. 6	4
9a	7555.004	washer diam. 6	3
10	9732.084	screw M 6 X 12	4
13	7951.173	guard housing	1
14	4904.038	handle ass.y	1
15	«-----»	see Pos. 22	0
16	5025.097	tooth	1
17	5660.066	recovery spring	1
18	5590.026	thrust spring	1
19	«-----»	see Pos. 22	0
21	6961.108	pulley	1
22	1472.057	REWIND STARTING	1
22	1472.058	REWIND STARTING	1
23	7625.007	washer diam. 6	4
24	9730.309	screw M 6 X 8	4
25	5801.539	spiral spring	1
26	7100.377	recoil pulley	1
27	5025.097	tooth	1
28	7980.063	cup	1
29	9732.064	screw M 8 X 30	3
30	9730.010	screw M 6 X 16	3
30	992R.046	screw M 6 X 22	3
32	7362.228	voltage regulator. 12V 14/26A-6 contacts for alternator 3 wires	1
32	7362.294	volt.regulator 12V 21A fitted for electronic tachometer - 6+W c	1
32	7362.298	voltage regul.12 V maX 30 A - 5 contacts for alt.2 wires	1
33	2145.014	regulator cap	1
34	9732.041	screw M 10 X 18	2
35	3800.047	flange	1
38	1557.103	wire connection	1
40	7750.109	plastroferrite rotor 12 V 12/20 A	1
41	8565.083	stator for alternator 2 wires 12V 30A (for ceramic rotor)	1
41	8565.107	stator for alternator 2 wires 12V 20A (for ceramic rotor)	1
41b	8565.113	alternator stator 12 V 12 A - 3 wires	1
42	5041.267	oil switch (M 10)	1
42	6745.052	pressure oil switch M 10 1,4 bar - brown	1
43	4670.059	copper gasket diam.10	1
45	5041.020	key switch	1
46a	7245.423	electr.panel 12 V	1
46b	7245.438	electr.panel 12 V	1
47	2185.882	eXtension wire	1
48	2185.907	wiring harness for batt.light and oil warn.	1
49	992R.024	screw M 10 X 25	2
50	5840.226	starting motor 12 V	1

**Group: 15LD**  
**Engine: 15LD 225 Drawing: F**

**COOLING SYSTEM/STARTING**

POS.	CODE	DESCRIPTION	Qty
50	5840.227	starting motor 24 V	1
51	9195.520	oil thermostat twin contacts	1
56	7565.007	washer diam. 8	3
57	9730.340	screw M 5 X 10	1
64	9730.325	screw M 5 X 10	4
66	7565.007	washer diam. 8	1
67	3240.018	nut M 8	1
68	7625.008	washer diam. 6,4	1
69	7555.004	washer diam. 6	1
70	3240.009	nut	1
75	6275.154	plate	1

**F**  
15LD

