

**LUBRICATING SYSTEM**

POS.	CODE	DESCRIPTION	Qty
1	4670.058	copper gasket diam. 8,2X12X1,5	1
2	1901.048	union bolt M 8	1
3	9485.042	lub.oil pipe	1
4	4670.058	copper gasket diam. 8,2X12X1,5	1
5	3630.037	clamp diam.24-36	1
6	«-----»	spring - see Pos. H 42	0
7	5265.015	oil pump contr.lever	1
8	«-----»	see Pos. 42	0
9	1970.101	sleeve	2
10	6231.032	lever pin	1
11	5204.004	INJECT.PUMP LEVER	1
13	1400.365	dipstick	1
14	4670.058	copper gasket diam. 8,2X12X1,5	1
15	1901.048	union bolt M 8	1
16	4670.058	copper gasket diam. 8,2X12X1,5	1
19	9730.008	screw M 6 X 10	1
20	7565.004	washer diam. 6	1
21	«-----»	plate	0
22	2280.061	key 3X3,7X10	1
23	7565.004	washer diam. 6	1
24	9680.007	oil press.valve	1
25	5755.049	spring	1
26	4670.088	copper gasket 18X24X1	1
27	9070.012	pressure valve plug	1
28	1901.048	union bolt M 8	1
29	4670.058	copper gasket diam. 8,2X12X1,5	1
30	9790.037	screw M 6 X 8	1
31	3617.018	clamp	1
32	5401.011	rubber sheathing	2
33	4670.058	copper gasket diam. 8,2X12X1,5	1
34	4601.011	gasket	1
35	9732.016	screw M 6 X 40	4
36	1760.005	bolt M 6 X 1 X 16	2
37	7565.004	washer diam. 6	2
39	4740.026	gasket	1
40	9320.060	suction oil tube	1
41	8300.042	bracket	1
42	4336.032	OIL PUMP ASS.Y (gen.set)	1
42	4896.362	OIL PUMP ASS.Y	1
43	1760.007	bolt M 6 X 1 X 25	1
44	2175.025	oil filter cartridge	1
45	5725.032	spring	1
46	1202.007	rubber oil seal	1
47	9485.041	lubr.oil pipe	1
48	4670.058	copper gasket diam. 8,2X12X1,5	1
49	1901.048	union bolt M 8	1
50	7625.010	washer diam. 8	12
51	1770.056	bolt M 8 X 1,25 X 18	12
52	6647.087	oil pan	1
53	4670.016	copper gasket diam.14	1
54	8965.005	oil drain plug M 14	1
55	7565.007	washer diam. 8	2
56	1770.006	bolt M 8 X 1,25 X 25	2

Group: 7LD

Engine: 7LD 600 Drawing: H

LUBRICATING SYSTEM

POS.	CODE	DESCRIPTION	Qty
57	2751.038	cover	1
58	«-----»	bushing	0

H

7LD

