

**CONTROLS/LUBRICATING SYSTEM**

POS.	CODE	DESCRIPTION	Qty
1	<----->	oil cartridge cap with M 14 hole - see notes	0
4a	9680.058	pressure oil valve	1
5	<----->	spring - see notes	0
7	2516.061	REMOTE ACCELER.CONTROL-HAND STOP	1
7	2516.094	REMOTE ACCEL.CONTROL-WITHOUT STOP	1
7	2516.109	REMOTE ACCELER.CONTROL-HAND STOP	1
7	2516.114	REMOTE ACCELER.AND STOP CONTROL	1
8	3240.019	nut M 8 alpha brass	2
9	9180.192	cable end	2
11	2381.015	TORQUE CONTROL	1
11	8576.006	EXTRA FUEL DEVICE	1
12	6780.089	stud M 8 X 28 (45)	1
13	3240.018	nut M 8	1
14	3240.008	nut M 6	1
15	1760.041	bolt M 6 X 1 X 40	1
16	3240.008	nut M 6	1
17	1760.041	bolt M 6 X 1 X 40	1
18	4670.058	copper gasket diam. 8,2X12X1,5	1
19	5830.119	nut	2
20	9790.023	screw M 5 X 7	2
21	5200.108	cable adapter plate	1
22	3240.164	nut M 8	1
23	5200.323	control lever	1
24	<----->	O ring 137 - see notes	0
29	9455.131	lub.oil pipe	2
30	1400.387	eXtended dipstick (mm 110)	1
31	1400.438	dipstick (mm 145)	1
31	1400.515	dipstick std (mm 110)	1
32	7555.004	washer diam. 6	1
33	<----->	pin	0
33	6040.015	pin	1
38	5168.052	tabwasher	1
39	3240.131	nut	1
40	3240.058	nut	1
42	4775.526	gov. housing gasket	1
43	9730.018	screw M 6 X 45	1
44	<----->	screw	0
46	1770.042	bolt M 8 X 1,25 X 10	1
47	5200.108	cable adapter plate	1
48	3240.164	nut M 8	1
49	5200.108	cable adapter plate	1
50	3240.164	nut M 8	1
51	<----->	cap	0
52	3240.164	nut M 8	1
53	1240.077	snap ring	1
54	7625.098	washer diam. 8,4	1
55	6545.009	knob	1
56	4340.067	jacket	1
57	<----->	head filter oil conn. - see notes	0
57a	7265.021	oil filter connector	1
57b	7330.343	oil filter connector	1
58	<----->	oil filter cartridge - see notes	0
58	2175.060	oil filter cartridge for low temperature	1

**Group: 9LD**  
**Engine: 9LD 561-2 Drawing: D**

**CONTROLS/LUBRICATING SYSTEM**

POS.	CODE	DESCRIPTION	Qty
58a	2175.107	oil filter cartridge (mm 59)	1
58a	2175.131	oil filter cartridge (mm 90)	1
59	«-----»	oil filter cover - see notes	0
61	3240.036	nut M 10	1
62	7565.011	washer diam.10	1
63	4936.009	oil pump drive gear	1
64	6605.037	lub.oil pump ass.y	1
65	«-----»	key	0
66	9330.033	dipstick guard	1
67	7625.012	washer diam. 8,4	1
68	9732.074	screw M 8 X 20	1
69	1165.010	circlip	1
70	3240.008	nut M 6	1
71	7555.004	washer diam. 6	1
72	5200.760	operating arm	1
73	«-----»	support pin - see Pos. F 72	0
74	2690.287	HAND CONTROL	1
75	«-----»	sleeve	0
77	8460.055	locating dowel	2
78	1200.034	O ring 105	1
79	9732.078	screw M 6 X 25	5
80	5680.077	spring	1
81	6870.021	stud	1
82	5200.110	lever	1
83	1200.034	O ring 105	1
84	5680.077	spring	1
85	1241.009	circlip diam. 19	1
86	«-----»	spring	0
89	5200.154	pivot arm	1
90	1770.009	bolt M 8 X 1,25 X 35	2
91	7565.007	washer diam. 8	2
93	1200.001	O ring 108	1
95	5090.010	oil strainer	1
96	7565.004	washer diam. 6	1
97	1400.094	dipstick (mm 520)	1
98	7625.106	washer diam. 7,1	2
99	9761.043	screw M 6 X 10	1
100	6140.370	pin	1
101	5200.587	governor push rod actuator	1
102	3527.246	spacer	1
103	5550.026	eXtra fuel spring	1
103	5801.180	eXtra fuel spring (compressor version)	1
104	1241.009	circlip diam. 19	1
105	3000.004	ball bearing	2
107	1200.034	O ring 105	1
108	1241.009	circlip diam. 19	1
109	1200.034	O ring 105	1
110	«-----»	spacer	0
112	5680.077	spring	1
113	9245.135	tie rod	1
114	9730.024	screw M 8 X 16	2
115	6370.281	plate	1
116	5200.583	lever	1

**Group: 9LD**  
**Engine: 9LD 561-2 Drawing: D**

**CONTROLS/LUBRICATING SYSTEM**

POS.	CODE	DESCRIPTION	Qty
117	5680.077	spring	1
118	5200.154	pivot arm	1
119	8430.065	locking needle	1
120	7555.029	washer diam. 8	14
121	1770.155	bolt M 8 X 1,25 X 30	14
121	9732.063	screw M 8 X 35	14
122	9080.182	plug diam.10	1
123	6645.619	OIL PAN high capacity 5 liters	1
123	6645.639	OIL PAN 3 oil drain plugs	1
123	6645.640	OIL PAN (side discharging)	1
124	4670.016	copper gasket diam.14	1
125	8965.005	oil drain plug M 14	1
126	4601.177	sump gasket	1
127	5200.585	lever	1
128	8785.103	actuating arm	1
129	5655.349	spring	1
130	1541.106	balance lever	1
131	5655.349	spring	1
132	1165.005	circlip diam. 6	1
133	7625.010	washer diam. 8	1
134	9730.031	screw M 8 X 40	2
135	7748.031	washer	2
136	4775.421	gasket	2
137	7625.012	washer diam. 8,4	2
138	3240.018	nut M 8	2
139	7350.051	oil cooler	1
140	9485.176	oil pipe mm 175	1
141	«-----»	oil line - see notes	0
141a	9485.281	oil line	1
142	5953.036	nipple	3
143	4670.019	copper gasket diam.16	3
144	«-----»	spacer - see notes	0
144a	3902.353	oil flange	1
145	1901.155	union bolt M 14	1
146	4670.061	copper gasket diam.14	2
147	1202.036	O ring	1
148	5151.075	plate	1

